R-9976 Hydraulic Axial Direct Drive

Cons Tru CTion • Minin G • a Gri CuLTure

The R-9976 direct-drive hydraulic compressor uses no belts or clutch and minimizes A/C hose length—ideal for cranes, articulated equipment, and other applications where the cab and engine are far apart. Available in displacements of 5 and 9.3 cubic inches. Compressor speed control is possible on this unit with a separate hydraulic device supplied by the installer.

	GPM	Minimum PSI	Maximum PSI	Compressor Displacement
R-9976-3P	1.1 – 6.3	1,800	3,988	9.3 cu.in.
35/1 84m	m @ @ 14 % 377mm O T	6 ⁵ , 1601 V	nm 202mn	
Clock mounting fo	r compressor limite	d to 45°.		

HYDRAULIC CONTROL VALVE For use with R-9976-1

Maximum flow is 15 GPM at 2,500 PSIG (241 Bar at 57 L/min)

72R9904 RD-5-11209-0P	72R9912 RD-5-11210-0P
Electrically piloted hydraulic control	Used to convert 72R9004 (left) to 12
valve (normally open)	volte
24volt	

Attitude: compressor limited to 10° variance from level, upright, horizontal position. WARNING : Red Dot takes no responsibility for modifications to the vehicle's hydraulic system. All hydraulic system modifications must be done by a certified technician.


R-9978

Battery-Powered Electric-Motor-Driven Compressor

Tru Cks • Vans • uTiLiTy VehiCLes

The R-9978 is a quiet, efficient electric-motor-driven compressor for 12V or 24V electrical A/C systems ranging from 17,000 to 30,000 BTU. The low-voltage, brushless motor operates directly from a battery pack and is ideal for systems where a traditional belt-driven or hydraulic compressor is not an option. Amp draw: 75-120 amps. Compressor speed ranges from 700 to 6,000 RPM.

	Volts	Weight	Dimensions
R-9978-0P	12 VDC	30 lbs (13.6 kg)	19″L x 9″W x 9″H
R-9978-0-24P	24VDC	30 lbs (13.6 kg)	19"L x 9"W x 9"H







www.climatrans.com

IMATRANS INC. Eastern Canada

Pressurizer & Remote Mount Filters

Booster Blower

AGRICULTURAL - MINING - INDUSTRIAL

Attaching directly to the 78R5100 and 78R5110 remote mount filters (shown below) the Booster Blower forces dust free air into the cab through our heater and air conditioner units.

PRESSURIZER

SPECIFICA	IONS	
AIR FLOW	140 CFM (238m3/h) with filter; 230 CFM (391m3/h) free flow	
WEIGHT	7 lbs. (3 kg)	
MOTOR/FAN	One 12 VDC, single speed (24 VDC available)	
CURRENT DRAW	10.2 amps @ 13.6 VDC 6 amps @ 27.2 VDC	
DIMENSIONS	4" inlet 3" outlet	A AND A A
UNITS	73R9202 (12 VDC) 73R9204 (24 VDC)	

Remote Mount Filters

The integration of Red Dot's Remote Mount Filters with the Booster Blower guarantees your dust-free working environment.

BACKPACK MOUNT 78R5000 9" Dia x 16" long (228mm x 464mm)

REPLACEMENT PARTS	
Filter Model	78R5000
Filter	78R5200
Hood	RD-5-4288-0P
Band	RD-5-4289-0P
Rubber Elbow	78R5500

HORIZONT	AL MOUNT
78R5100	
10 ¼" Dia x 18" long (260mm x 457mm)	
REPLACEMENT PART	
Filter Model	78R5100

78R5100
78R5210
RD-5-5151-0P
RD-5-5150-0P

78R5110		
10 ¼″ Dia x 23 ¾ (260mm x 503r	5	T
REPLACEME	NT PARTS	
	78R5110	
Filter Model		
	78R5210	C=lease 1
Filter Model Filter Hood	78R5210 RD-5-5152-01	

* Cab pressure and protection level may vary with individual cab integrity



Intake Replacement Filter 78R5200



Fresh Air Intake Replacement Filter 78R5210



Air Outlet Adapter For Pressurization 72R4531

Off-Road Evaporator Kits All 134a Compatible When ordering kits it is recommended that you order both the condenser and the compressor mount kit. DROP SHIP ONLY Allow four weeks lead time

Caterpillar

Compressor Included Included Included	Mount Kit Included Included Included
Included Included	Included
Included	
	Included
Included	Included
	Included Included Included Included Included

Hitachi

Model Name	Model Number	Engine	Kit Number	Evaporator	Condenser	Condenser Mount Kit	Compressor	Compressor Mount Kit
Excavator	EX200		R-17000-0P	Included	Included	Included	Included	Included
Excavator	EX300		R-17000-1P	Included	Included	Included	Included	Included
Excavator	EX400		R-17000-2P	Included	Included	Included	Included	Included
Excavator	EX400-1		R-17000-3P	Included	Included	Included	Included	Included

John Deere

Model Name	Model Number	Engine	Kit Number	Evaporator	Condenser	Condenser Mount Kit	Compressor	Compressor Mount Kit
Excavator	490E-LC	4045T	R-10035-5P ++	Included	Included	RD-4-4705-0P	Included	75R9715
Excavator	690E-LC	6068T / 6414T	R-10035-5P* ++	Included	Included	RD-11-0126-0P	Included	75R9710
Excavator	790E-LC	6068T / 6414T	R-10035-5P ++	Included	Included	RD-11-0127-0P	Included	75R9710
Excavator	892E-LC	6076	R-10035-5P ++	Included	Included	RD-11-0128-0P	Included	75R9575
Excavator	992E-LC	6101T	R-10035-5P ++	Included	Included	RD-11-0128-0P	Included	75R9805
Wheel Loaders	544H	6068T	R-10060-4P +	Included	Included		Included	75R9405
Wheel Loaders	624H	6068T	R-10060-4P +	Included	Included		Included	75R9410

Komatsu

	Model					Condenser		Compressor
Model Name	Number	Engine	Kit Number	Evaporator	Condenser	Mount Kit	Compressor	Mount Kit
Loader	WA180		R-17001-0P	Included	Included	Included	Included	Included
Loader	WA320-1		R-17001-1P	Included	Included	Included	Included	Included
Loader	WA380		R-17001-2P	Included	Included	Included	Included	Included
Loader	WA450		R-17001-3P	Included	Included	Included	Included	Included

Beginning with Serial Number 559603. J.D. Pulley part # R123413 must be ordered to complete installation *

+ Must order John deere Pulley # 123413 to complete installation

++ John Deere "Allied Approved" kit